

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product form : Mixture  
 Product name : VERSAPASS® DG Black

AstroNova P/N: 14808104,  
 14808304, 30010004, 30010014,  
 30010021, ATM10003580,  
 30030004, 30030009, 30030013

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.2.1. Relevant identified uses**

Industrial/Professional use spec : Industrial  
 For professional use only  
 Use of the substance/mixture : Inkjet printing

**1.2.2. Uses advised against**

Restrictions on use : No additional information available

**1.3. Details of the supplier of the safety data sheet**

Memjet Ltd.  
 Trintech Building  
 South County Business Park  
 Leopardstown  
 Dublin D18 H5H9 Ireland  
 T +353 1 678 0420  
[msds@memjet.com](mailto:msds@memjet.com) - [www.memjet.com](http://www.memjet.com)

**1.4. Emergency telephone number**

Emergency number : For Hazardous Materials Incidents (spill, leak, fire, exposure, or accident) call:  
 CHEMTREC: U.S. 1-800-424-9300 International: +1-703-527-3887  
 CHEMTREC (24 HOURS)

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 healthcare professionals 24/7 +353 1 809 2166 public, 8-10 7/7	UFI VF30-400A-U00H-9FD4

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Eye Dam. 1 H318  
 Repr. 1B H360  
 STOT RE 2 H373

Full text of hazard classes and H-statements : see section 16

**Adverse physicochemical, human health and environmental effects**

No additional information available

**2.2. Label elements****Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard pictograms (CLP) :



GHS05

GHS08

Signal word (CLP) : Danger

Hazardous ingredients : 2-pyrrolidone; 4,5-dihydro-5-oxo-1-(4-sulfophenyl)-4-(4-{2-[1,2,7,8-tetrahydro-7-(4-nitro-2-sulfophenyl)hydrazono]-1,8-d; Ethylene glycol

Hazard statements (CLP) : H318 - Causes serious eye damage.  
 H360 - May damage fertility or the unborn child.  
 H373 - May cause damage to organs through prolonged or repeated exposure.

# VERSAPASS® DG Black

## Safety Data Sheet

according to Regulation (EU) 2020/878

### Precautionary statements (CLP)

: P201 - Obtain special instructions before use.  
P202 - Do not handle until all safety precautions have been read and understood.  
P260 - Do not breathe mist, spray.  
P280 - Wear eye protection, protective gloves.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTER/doctor.  
P314 - Get medical advice/attention if you feel unwell.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### EUH-statements

: EUH208 - Contains 1,2-benzisothiazolone(2634-33-5). May produce an allergic reaction.

### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Water	(CAS-No.) 7732-18-5 (EC-No.) 231-791-2	65 - 70	Not classified
Ethylene glycol REACH 01-2119456816-28-XXXX	(CAS-No.) 107-21-1 (EC-No.) 203-473-3 (EC Index-No.) 603-027-00-1	10 - 13	Acute Tox. 4 (Oral), H302 STOT RE 2, H373
2-pyrrolidone REACH 01-2119475471-37-XXXX	(CAS-No.) 616-45-5 (EC-No.) 210-483-1	7 - 9	Eye Irrit. 2, H319 Repr. 1B, H360
4,5-dihydro-5-oxo-1-(4-sulfophenyl)- 4-(4-{2-[1,2,7,8-tetrahydro-7-(4-nitro-2-sulfophenyl)hydrazono]-1,8-d	(CAS-No.) 454217-04-0 (EC-No.) 445-080-1	5 - 7	Eye Dam. 1, H318
Glycerol	(CAS-No.) 56-81-5 (EC-No.) 200-289-5	3 - 5	Not classified
1,2-benzisothiazolone	(CAS-No.) 2634-33-5 (EC-No.) 220-120-9 (EC Index-No.) 613-088-00-6	0.02895	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400

### Specific concentration limits:

Name	Product identifier	Specific concentration limits
1,2-benzisothiazolone	(CAS-No.) 2634-33-5 (EC-No.) 220-120-9 (EC Index-No.) 613-088-00-6	( 0.05 =<C < 100) Skin Sens. 1, H317

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

#### First-aid measures after inhalation

: If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.

#### First-aid measures after skin contact

: Gently wash with plenty of soap and water. If skin irritation occurs: Get immediate medical advice/attention.

#### First-aid measures after eye contact

: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

#### First-aid measures after ingestion

: If swallowed, rinse mouth with water (only if the person is conscious). Do NOT induce vomiting unless directed to do so by medical personnel.

# VERSAPASS® DG Black

## Safety Data Sheet

according to Regulation (EU) 2020/878

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Causes serious eye damage. May damage fertility. May damage the unborn child.
Symptoms/effects after inhalation	: Inhalation may cause: irritation, coughing, shortness of breath.
Symptoms/effects after skin contact	: No significant signs or symptoms indicative of any health hazard are expected to occur as a result of skin contact.
Symptoms/effects after eye contact	: Causes serious eye damage.

### 4.3. Indication of any immediate medical attention and special treatment needed

All treatments should be based on observed signs and symptoms of distress in the patient.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: None known.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: No specific fire or explosion hazard.
Explosion hazard	: Product is not explosive.

### 5.3. Advice for firefighters

Firefighting instructions	: Exercise caution when fighting any chemical fire. Use extinguishing media appropriate for surrounding fire.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Wear fire/flamm resistant/retardant clothing. Use self-contained breathing apparatus. EN469.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Avoid all eye and skin contact and do not breathe vapour and mist.
------------------	--

#### 6.1.1. For non-emergency personnel

Protective equipment	: Avoid contact with skin and eyes. Wear suitable gloves. Butyl rubber gloves. natural rubber gloves.
Emergency procedures	: Evacuate unnecessary personnel. Stop leak without risks if possible.

#### 6.1.2. For emergency responders

Protective equipment	: Avoid all eye and skin contact and do not breathe vapour and mist. Wear suitable protective clothing and gloves. Butyl rubber. natural rubber gloves. Use eye protection according to EN 166, designed to protect against liquid splashes.
Emergency procedures	: Stop leak if safe to do so. If a major spill occurs, all personnel should be immediately evacuated and the area ventilated.

### 6.2. Environmental precautions

Do not discharge into drains or the environment. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

For containment	: Do not allow minor leaks or spills to accumulate on walking surfaces. Absorb and/or contain spill with inert material, then place in suitable container.
Methods for cleaning up	: Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. This material and its container must be disposed of in a safe way, and as per local legislation. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

### 6.4. Reference to other sections

Section 7: safe handling. Section 8: personal protective equipment. Section 13: disposal information.

# VERSAPASS® DG Black

## Safety Data Sheet

according to Regulation (EU) 2020/878

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling

: Avoid all eye and skin contact and do not breathe vapour and mist. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Emptied container retains vapor and product residue.

Hygiene measures

: Wash hands thoroughly after handling.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in original container. Keep container tightly closed and in a well-ventilated place.

#### 7.3. Specific end use(s)

Inkjet printing.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Glycerol (56-81-5)		
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>

Ethylene glycol (107-21-1)		
EU	Local name	Ethylene glycol
EU	IOELV TWA (mg/m <sup>3</sup> )	52 mg/m <sup>3</sup>
EU	IOELV TWA (ppm)	20 ppm
EU	IOELV STEL (mg/m <sup>3</sup> )	104 mg/m <sup>3</sup>
EU	IOELV STEL (ppm)	40 ppm
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	52 mg/m <sup>3</sup> (vapour, Sk) 10 mg/m <sup>3</sup> (Sk)
United Kingdom	WEL TWA (ppm)	20 ppm (vapour, Sk)
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	104 mg/m <sup>3</sup> (vapour, Sk)
United Kingdom	WEL STEL (ppm)	40 ppm (vapour, Sk)

#### 8.2. Exposure controls

##### Appropriate engineering controls:

Avoid splashing. Either local exhaust or general room ventilation is usually required.

##### Personal protective equipment:

Safety glasses. Gloves. Avoid all unnecessary exposure.

<b>Hand protection:</b>
Wear suitable gloves resistant to chemical penetration. Butyl rubber gloves. natural rubber gloves. EN 374
<b>Eye protection:</b>
Safety glasses with side guards should be worn to prevent injury from airborne particles and/or other eye contact with this product. Use splash goggles when eye contact due to splashing is possible. EN 166
<b>Respiratory protection:</b>
In case of insufficient ventilation, wear suitable respiratory equipment. Use air-purifying respirator equipped with particulate filtering cartridges. EN 136/140

##### Other information:

Do not eat, drink or smoke during use.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state

: Liquid

Appearance

: Black. Liquid.

# VERSAPASS® DG Black

## Safety Data Sheet

according to Regulation (EU) 2020/878

Colour	: Black.
Odour	: No data available
Odour threshold	: No data available
pH	: 6.5 - 7.5
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: > 90 °C
Flash point	: > 93.3 °C Closed cup (Pensky-Martens)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: > 1 (Air = 1)
Relative density	: 1 - 1.1
Solubility	: Soluble in water.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 1.7 - 2.3 mPa·s
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions.

### 10.2. Chemical stability

The product is stable at normal handling and storage conditions.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Keep away from : Incompatible materials.

### 10.5. Incompatible materials

Oxidizing agent.

### 10.6. Hazardous decomposition products

Under fire conditions, hazardous fumes will be present.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	Information on hazard classes as defined in Regulation (EC) No 1272/2008 : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

#### Glycerol (56-81-5)

LD50 oral rat	5570 mg/kg
---------------	------------

#### 2-pyrrolidone (616-45-5)

LD50 oral rat	5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg

# VERSAPASS® DG Black

## Safety Data Sheet

according to Regulation (EU) 2020/878

LC50 inhalation rat (mg/l)	> 20 mg/l/4h
----------------------------	--------------

### Water (7732-18-5)

LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 6 mg/l/4h
---	-------------

### Ethylene glycol (107-21-1)

LD50 dermal rat	> 3500 mg/kg (mouse)
LC50 inhalation rat (mg/l)	> 2.5 mg/l/4h
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 2.5 mg/l/4h

Skin corrosion/irritation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: May damage fertility or the unborn child.
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.

### 2-pyrrolidone (616-45-5)

NOAEL (oral, rat, 90 days)	207 mg/kg bodyweight/day The kidneys were the most affected organs.
----------------------------	---

### Ethylene glycol (107-21-1)

LOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight/day
NOAEL (oral, rat, 90 days)	150 mg/kg bodyweight/day kidney

Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met

## SECTION 12: Ecological information

### 12.1. Toxicity

Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Not classified

### Glycerol (56-81-5)

LC50 fish 1	68 - 72 mg/l
-------------	--------------

### 2-pyrrolidone (616-45-5)

LC50 fish 1	> 4600 (4600 - 10000) mg/l 96 hr. Danio rerio
EC50 Daphnia 1	> 500 mg/l
ErC50 (algae)	> 500 mg/l
NOEC (acute)	4640 mg/l

### Ethylene glycol (107-21-1)

LC50 fish 1	72860 mg/l Pimephales promelas
EC50 Daphnia 1	> 100 mg/l
NOEC chronic fish	15380 mg/l Pimephales promelas
NOEC chronic crustacea	8590 mg/l Ceriodaphnia sp.

# VERSAPASS® DG Black

## Safety Data Sheet

according to Regulation (EU) 2020/878

### 12.2. Persistence and degradability

#### VERSAPASS® DG Black

Persistence and degradability	Not established.
-------------------------------	------------------

#### Glycerol (56-81-5)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

#### 2-pyrrolidone (616-45-5)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

#### Ethylene glycol (107-21-1)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

Biodegradation	> 60 % 28 d
----------------	-------------

### 12.3. Bioaccumulative potential

#### VERSAPASS® DG Black

Bioaccumulative potential	Not established.
---------------------------	------------------

#### 2-pyrrolidone (616-45-5)

Bioconcentration factor (BCF REACH)	3.16
-------------------------------------	------

Log Pow	- 0.32
---------	--------

Bioaccumulative potential	Not expected to bioaccumulate.
---------------------------	--------------------------------

#### Ethylene glycol (107-21-1)

Log Pow	- 1.36
---------	--------

Bioaccumulative potential	Not expected to bioaccumulate.
---------------------------	--------------------------------

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

#### VERSAPASS® DG Black

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Other adverse effects Endocrine Disrupting Properties

Additional information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Do not dispose in household garbage. Dispose in a safe manner in accordance with local/national regulations.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

European List of Waste (LoW) code : 08 03 13 - waste ink other than those mentioned in 08 03 12

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

UN-No. (ADR) : Not regulated.

UN-No. (IMDG) : Not regulated.

UN-No. (IATA) : Not regulated.

# VERSAPASS® DG Black

## Safety Data Sheet

according to Regulation (EU) 2020/878

UN-No. (ADN) : Not regulated.  
UN-No. (RID) : Not regulated.

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not regulated.  
Proper Shipping Name (IMDG) : Not regulated.  
Proper Shipping Name (IATA) : Not regulated.  
Proper Shipping Name (ADN) : Not regulated.  
Proper Shipping Name (RID) : Not regulated.

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : Not regulated.

#### IMDG

Transport hazard class(es) (IMDG) : Not regulated.

#### IATA

Transport hazard class(es) (IATA) : Not regulated.

#### ADN

Transport hazard class(es) (ADN) : Not regulated.

#### RID

Transport hazard class(es) (RID) : Not regulated.

### 14.4. Packing group

Packing group (ADR) : Not regulated.  
Packing group (IMDG) : Not regulated.  
Packing group (IATA) : Not regulated.  
Packing group (ADN) : Not regulated.  
Packing group (RID) : Not regulated.

### 14.5. Environmental hazards

Dangerous for the environment : No  
Marine pollutant : No  
Other information : No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

Not regulated.

#### Transport by sea

Not regulated.

#### Air transport

Not regulated.

#### Inland waterway transport

Not regulated.

#### Rail transport

Not regulated.

### 14.7. Transport in bulk according to instruments of the International Maritime Organization, and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.1. EU-

#### Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:



# VERSAPASS® DG Black

## Safety Data Sheet

according to Regulation (EU) 2020/878

3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	VERSAPASS® DG Black - 2-pyrrolidone - Ethylene glycol
3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	2-pyrrolidone - Ethylene glycol

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

Other information, restriction and prohibition regulations

: Contains no substances on the IPCC Water List. Contains no substances on the IPCC Air List. Annex XVII is not applicable for any constituents under the defined use. Contains no REACH Annex XIV substances.

### 15.1.2. National regulations

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)- Directive 79/831/EEC, sixth Amendment of Directive 67/548/EEC (dangerous substances)

### 15.2. Chemical safety assessment

This product contains substances for which Chemical Safety Assessments are still required.

No chemical safety assessment has been carried out

## SECTION 16: Other information

Indication of changes:			
Section	Changed item	Change	Comments
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	
2.2	Precautionary statements (CLP)	Modified	
2.2	Hazard statements (CLP)	Modified	
3	Composition/information on ingredients	Modified	
4.2	Symptoms/effects	Modified	
1.3	Address	Modified	

Abbreviations and acronyms:	
ATE: Acute Toxicity Estimate	
CAS (Chemical Abstracts Service) number	
DNEL: Derived No Effect Level	
EC50: Environmental Concentration associated with a response by 50% of the test population.	
GHS: Globally Harmonized System (of Classification and Labeling of Chemicals)	
IPPC: Integrated Pollution Prevention and Control	
LD50: Lethal Dose for 50% of the test population	
NOEC: No Observable Effect Concentration	
PNEC: Predicted No Effect Level	
OSHA: Occupational Safety & Health Administration	
PBT: Persistent, Bioaccumulative, Toxic	
STEL: Short Term Exposure Limits	
TSCA: Toxic Substances Control Act	

# VERSAPASS® DG Black

## Safety Data Sheet

according to Regulation (EU) 2020/878

TWA: Time Weighted Average

### Data sources

: Chemical Inspection & Regulation Service; accessed at: [http://www.cirs-reach.com/Inventory/Global\\_Chemical\\_Inventories.html](http://www.cirs-reach.com/Inventory/Global_Chemical_Inventories.html).  
European Chemicals Agency (ECHA) C&L Inventory database. Accessed at <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>.  
European Chemicals Agency (ECHA) Registered Substances list. Accessed at <http://echa.europa.eu/>.  
European Standards: Personal Protective Equipment; accessed at: [http://ec.europa.eu/enterprise/policies/european-standards/harmonised-standards/personal-protective-equipment/index\\_en.htm](http://ec.europa.eu/enterprise/policies/european-standards/harmonised-standards/personal-protective-equipment/index_en.htm).  
IPPC Air List.  
IPPC Water List.  
Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition.  
National Fire Protection Association; Fire Protection Guide to Hazardous Materials; 10th edition.  
REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.  
US National Library of Medicine National Institutes of Health Haz-Map. Accessed at <http://hazmap.nlm.nih.gov>.

### Other information

: None.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Repr. 1B	Reproductive toxicity, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H360	May damage fertility or the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
EUH208	Contains 1,2-benzisothiazolone(2634-33-5). May produce an allergic reaction.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Eye Dam. 1	H318	Calculation method
Repr. 1B	H360	Calculation method
STOT RE 2	H373	Calculation method

### SDS Prepared by:

The Redstone Group  
6077 Frantz Rd  
Suite 206  
Dublin, Ohio USA 43017  
+1.614.923.7472  
[www.redstonegrp.com](http://www.redstonegrp.com)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*