

## SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) NO 1907/2006 (REACH)

### Section 1. Product and Company Identification

#### Product Identifier

**Product Name**  
**Product CASRN**  
**Product Description**  
**Relevant identified uses of the substance or mixture and uses advised against material uses:**

Black toner powder (cartridge) PN: 14880002  
Mixture  
Black toner  
For electrophotographic printing systems

#### Details of the supplier of the safety data sheet

**USA Manufacturer:**  
OKI Data Corporation  
3-1 Futaba-cho, Takasakishi, Gunma.  
370-8585 Japan  
Tel: +81 27-328-6366 Fax: +81 27-328-6398

**Supplier:**  
AstroNova Inc.  
600 East Greenwich Avenue  
West Warwick, RI 02893  
Tel: +1 401-828-4000

**Emergency Telephone Number USA:**

1-800-654-3282

### Section 2. Hazard(s) Identification

#### Product Classification per 29 CFR 1910.1200

**Hazard Classification**

This product does not satisfy any of the criteria for a hazardous material per the guidelines established by the United Nations (Globally Harmonized System of Classification and Labeling Chemicals) as specified in 29 CFR 1910.1200 Hazard Communication (2012).

**Signal Word**

Not Applicable

**Hazard Statements**

Not Applicable

#### Recommended Safety Precautions

**Injury Prevention**

Take all precautions to prevent dispersion of this product in air. Eliminate all sources of ignition. Take precautionary measures against static discharge. Good industrial hygiene practices should be followed when handling this material. Wash thoroughly after handling.

**Emergency Response**

IF IN EYES: rinse cautiously with water for 15 minutes. Remove contact lens, if present and easy to do. Continue rinsing. Seek medical attention if necessary.

**Product Storage**

IF ON SKIN: gently wash with plenty of soap and water. Call a POISON CONTROL CENTER or doctor if symptoms develop or you feel unwell. Protect from sun. Store in a well-ventilated room (under 40° C). Guard against accumulations of this material on surfaces. Eliminate all sources of ignition.

**Product Disposal**

DISPOSE of product and containers in accordance with all applicable local, state, federal, and international regulations.

#### Hazards Not Otherwise Classified

**Pyrophoric Gases**  
**Simple Asphyxiants**  
**Combustible Dust**

Not Applicable

Not Applicable

Product has not been tested for combustibility. However, as similar products are known to be combustible, the potential for this material to combust is a real hazard. All precautions should be taken when handling this product to avoid dispersion of the material in air.

Dust Classification	Minimum Ignition Energy (mJ)	Pmax (bar-g)	Rmax (bar/s)	Rmax (bar-m/s)	Explosion Severity
Unknown (material has not been tested for combustibility)					

Definitions for dust classifications are found in OSHA Instruction CPL 03-00-008 *Combustible Dust National Emphasis Program (reissued)* March 11, 2008, Appendix E, Section 5

**Other Known Hazards** None

**FOR INFORMATION REGARDING ENVIRONMENTAL GHS CLASSIFICATION, REFER TO SECTION 12 BELOW**

### Section 3. Composition/Information on Ingredients

Chemical Name	Common Name	CAS Number	Concentration (%)
Confidential	Polyester resin	Confidential	Confidential
Carbon black	Carbon black	1333-86-4	1 – 10
Confidential	Waxes	Confidential	1 – 5
Confidential	Silica	Confidential	1 – 5
Other components	--	Confidential	--

### Section 4. First-Aid Measures

<b>Eyes</b>	Immediately flush eyes with plenty of water for at least 15 minutes. If necessary, seek medical attention.
<b>Skin</b>	For skin contact, wash immediately with soap and water. If necessary, seek medical attention.
<b>Ingestion</b>	If the material is swallowed, get immediate medical attention or advice.
<b>Inhalation</b>	Call a physician if symptoms develop or persist.
<b>Symptoms of Exposure</b>	None known.
<b>Notes to Physician</b>	Provide general supportive measures and treat symptomatically.

### Section 5. Fire-fighting Measures

<b>Flammable Properties</b>	Refer to SECTION 9: Physical and Chemical Properties Irritating and toxic gases or fumes may be released during a fire. Dusts at sufficient concentrations can form explosive mixtures with air.  Water spray or powder Firefighters should wear full protective clothing including self contained breathing apparatus.
<b>Hazardous Products of Combustion</b>	
<b>Properties that could Increase Fire or Explosion Hazard</b>	
<b>Extinguishing Media</b>	
<b>Fire-fighting Instructions</b>	

NFPA ratings are found in SECTION 16

## Section 6. Accidental Release Measures

FOR ALL TRANSPORTATION ACCIDENTS, call at -----

### Response to small spills of product

**Spill Containment**

**Spill Cleanup Procedures**

**Required Equipment**

**Additional Information**

Containment of this material should not be necessary.

Vacuum up the spilled material.

Vacuum or sweep up material and place in disposal container.

No other spill procedures necessary.

### Response to large spills of product

**Spill Containment**

**Spill Cleanup Procedures**

**Required Equipment**

**Additional Information**

Stop the flow of material, if this is without risk. Contain the discharged material. Remove sources of ignition.

Avoid the generation of dusts during cleanup. Use water mist on the spilled material to wet surfaces and prevent dusting. Vacuum or sweep up material and place in a disposal container. Put material in suitable, covered, labeled containers.

Any equipment that presents a risk of accumulating static electricity should be properly grounded/bonded when used in the cleanup of this material. Wear appropriate protective equipment and clothing during cleanup.

No other spill procedures necessary.

## Section 7. Handling and Storage

**Handling Requirements**

**Storage Requirements**

DUE TO THE POTENTIAL FOR COMBUSTIBLE DUST EXPLOSION, avoid conditions, which may result in formation of a dust cloud. Implement best housekeeping practices to prevent accumulation of this product on surfaces.

Equipment used to remove accumulated product should be protected against static ignition. As with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid getting this material into contact with your skin and eyes. Do not breathe fumes or dust from this material. Wash thoroughly after handling.

Store in a cool, dry, well-ventilated area.

This material can accumulate static charge, which may cause spark and become an ignition source.

Guard against dust accumulation of this material.

## Section 8. Exposure Controls/Personal Protection

**Engineering Controls**

Provide adequate local exhaust ventilation to maintain worker exposure below exposure limits. Prevent electrostatic charge build-up by using common bonding and grounding techniques.

### Personal Protective Equipment

**Eye/Face Protection**

**Hand Protection**

**Skin Protection**

**Respiratory Protection**

Wear dust goggles.

Use impervious gloves.

Normal work clothing (long sleeved shirts and long pants) is recommended.

A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever there may be potential for airborne exposure.

### Exposure Limits

Chemical	CASRN	Percent	Limits	Agency
Carbon black	1333-86-4	1 – 10	3.5 mg/m <sup>3</sup> TWA	OSHA
Particulates not otherwise regulated	-	-	15 mg/m <sup>3</sup> TWA (total dust); 5 mg/m <sup>3</sup> TWA (respirable fraction)	OSHA
Silica, amorphous Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica	7631-86-9	1 – 5	20 mppcf TWA; ((80/(%SiO <sub>2</sub> )) mg/m <sup>3</sup> TWA)	OSHA
Carbon black	133-86-4	1 – 10	3.0 mg/m <sup>3</sup> TWA	ACGIH
Paraffin wax	8002-74-2	1 – 5	2 mg/m <sup>3</sup> TWA (fume)	ACGIH
Particles (insoluble or poorly soluble) Not Otherwise Specified (PNOS)	-	-	10 mg/m <sup>3</sup> TWA (inhalable particles, recommended); 3 mg/m <sup>3</sup> TWA (respirable particles, recommended)	ACGIH

## Section 9. Physical and Chemical Properties

**Appearance @ 20°C**

**Odor Threshold**

**Vapor Density**

**Evaporation Rate**

**Melting Point (°C)**

**Initial Boiling Point (°C)**

**Partition Coefficient (N-Octanol/Water)**

**Decomposition Temperature**

**Flash Point (°C)**

**Upper Explosive Limit**

Black Powder

No data available

No data available

No data available

No data available

No data available

No data available

No data available

No data available

Not applicable

No data available

**Odor**

**pH**

**Vapor Pressure**

**Relative Density**

**Water Solubility**

**Boiling Range (°C)**

**Viscosity**

**Flammability Classification**

**Auto-Ignition Temperature**

**Lower Explosive Limit**

No odor

No data available

No data available

1.2g/mL @ 20°C

Insoluble in water

No data available

No data available

No data available

Not evaluated

No data available

No data available

## Section 10. Stability and Reactivity

### Chemical Stability

#### Conditions to Avoid

#### Incompatible Materials (Reactivity)

#### Incompatible Materials (Storage & Transport)

#### Hazardous Decomposition Products

#### Hazardous Polymerization

Stable under normal conditions.

Avoid ignition sources where dust is produced.

None known.

No information available.

None known.

Will not occur.

## Section 11. Toxicological Information

### Acute Effects

#### Eye Effects

#### Skin Effects

#### Acute Oral Effects (Ingestion)

#### Acute Inhalation Effects

#### Target Organs

Dust or powder may irritate eye tissue.

Not expected to be a primary skin irritant.

Low toxicity.

Dust of this product may cause irritation of the nose, throat, and respiratory tract.

No known effects.

### Chronic Effects

#### Mutagenicity

#### Teratology

#### Reproductive and Developmental Toxicity

Ames Test (TA98, TA100, TA1535, TA1537, TA1538, WP2uvrA): Negative

No data available for this product.

No information available.

### Carcinogenicity

Chemical Name	Data	Agency	List
Carbon black	Monograph 93 [2010]; Monograph 65 [1996]	IARC	Group 2B Classifiable Carcinogens
Silica, amorphous	Monograph 68 [1997]; Supplement 7 [1987]	IARC	Group 3 Not Classifiable as Carcinogens
Carbon black	Present	OSHA	Select Carcinogens
Carbon black	A3 – Confirmed Animal Carcinogen with Unknown Relevance to Humans	ACGIH	Threshold Limit Values – Carcinogens

None of the components of this product are listed on the NPT Known or Suspected Carcinogens List.

### Lethal Dose (LD50 & LC50) Data

#### LD50 Oral

#### LD50 Dermal

#### LC50 Inhalation

#### Medical Conditions Aggravated by Exposure

#### Routes of Entry

#### Other Toxicological Information

No information available

4% of the mixture consists of ingredients of unknown toxicity.

No information available

4% of the mixture consists of ingredients of unknown toxicity.

No information available

Inhalation of this product may aggravate existing conditions of the respiratory system such as asthma or bronchitis.

Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

SKIN CORROSION/IRRITATION: Rabbit, undiluted, 4 hours semi-occluded application test (OECD 404): Not classified, P.C.I. = 0

SERIOUS EYE DAMAGE/IRRITATION: Rabbit, undiluted, OCED405: not classified, I.A.O.I. = 0.7

SKIN SENSITIZATION: Local Lymph Node Assay (LLNA, OECD429): negative

## Section 12: Ecological Information

### UN GHS Aquatic Toxicity Classification Information

Aquatic Toxicity	Not classified as hazardous to aquatic environment
Classification Signal Word	Not applicable
Hazard Pictogram	Not applicable
Hazard Statement	Not applicable
Prevention	Not applicable
Response	Not applicable
Disposal	Not applicable

### Additional Environmental Information

Aquatic Toxicity (fish)	No information available
Aquatic Toxicity (crustacean)	No information available
Aquatic Toxicity (algae)	No information available
Ecotox. Information	None determined
Environmental Fate	No data available for this product
Biological Oxygen Demand (BOD5), g/g	No data available
Chemical Oxygen Demand (COD), g/g	No data available
Persistence & Degradability	No information available
Bioaccumulation	No information available

## Section 13. Disposal Considerations

Waste Description	Wastes must be tested using methods described in 40 CFR Part 261 to determine if it meets applicable definitions of hazardous wastes.
General Disposal Considerations	Clean up and dispose of waste in accordance with all federal, state, and local environmental regulations.
Disposal of Empty Containers	Disposal of waste material according to local, state, federal, and provincial environmental regulations.

## Section 14. Transport Information

	US DOT	IATA	IMDG
UN Number	Not applicable	Not applicable	Not applicable
UN Proper Shipping Name	Non-hazardous material	Non-hazardous material	Non-hazardous material
Transport Hazard Class(es)	Not applicable	Not applicable	Not applicable
Packing Group	Not applicable	Not applicable	Not applicable
Emergency Response	No reportable quantity for this product		
Guidebook (ERG) Reference	Not applicable		
Marine Pollutant	None		

## Section 15. Regulatory Information

Toxic Substances Control Act (TSCA)	This product is listed on the U.S. EPA TSCA Inventory.
Export Notifications	This product is not subject to TSCA 12B Export Notification requirements.
Significant New Use Rule (SNUR)	This material is not subject to a Significant New Use Rule under the US Toxic Substances Control Act.

**International Chemical Inventories**

All of the components of this product are listed on the following inventories:

DSL	Canada	No	
NDSL	Canada	No	
ENCS	Japan	Yes	
EINECS	Europe	No	
ELINCS	Europe	Yes	
IECSC	China	Yes	Simplified Notification (polymer)
PICCS	Philippines	No	
ECL	Korea	Yes	Exemption for Examination
AICS	Australia	Yes	
TCSI	Taiwan	Yes	

**EMERGENCY PLANNING and COMMUNITY RIGHT TO KNOW ACT (EPCRA)**
**40 CFR PART 355, APPENDIX A**

EHS Components	CASRN	Percent	TPQ Pounds and RQ
No limits established for this product.			

313 Components	CASRN	Percent	Reporting Limit
No limits established for this product.			

CERCLA/SARA Components	CASRN	Percent	Reporting Limit
No limits established for this product.			

<b>EPCRA SECTION 311/312 Classification</b>	Acute	No
	Chronic	No
	Fire	No
	Pressure	No
	Reactive	No

**Other Federal Regulations**

The following components are identified under the Clean Air Act HON-Rule for SOCM1 chemicals:

Component Name	CASRN
No regulated components	

The following components are identified under the Clean Air Act (VOCs in SOCM1 chemicals):

Component Name	CASRN
No regulated components	

The following components are identified under the Clean Air Act as Hazardous Air Pollutants (HAP)

Component Name	CASRN
No regulated components	

The following components are identified under the Clean Air Act HON-Rule Hazardous Air Pollutants (HAP):

Component Name	CASRN
No regulated components	

The following components are identified under the Clean Air Act HON-Rule Hazardous Air Pollutants (HAP):

Component Name	CASRN	List Name
No limits established for this product.		

**State Right-to-Know Information:**

Component Name	CASRN	State	List name
Carbon black	1333-86-4	Massachusetts	Right-to-Know List
Paraffin wax	8002-74-2	Massachusetts	Right-to-Know List
Carbon black	1333-86-4	New Jersey	Special Hazardous Substance List
Carbon black	1333-86-4	New Jersey	Right-to-Know List
Paraffin wax	8002-74-2	New Jersey	Right-to-Know List
Carbon black	1333-86-4	Pennsylvania	Right-to-Know List
Paraffin waxes and Hydrocarbon waxes	8002-74-2	Pennsylvania	Right-to-Know List
Coal soot	1333-86-4	Pennsylvania	RTK Special Hazardous Substance Name

If the STATE RIGHT-TO-KNOW INFORMATION table above is empty than none of the components of this product are included on the state right-to-know regulatory lists for Florida, Massachusetts, Michigan, Pennsylvania, or New Jersey.

**California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)**

Component Name	CASRN	Concentration †	List Data
Carbon black	1333-86-4	1 – 10	Carcinogen, 2/21/03 (airborne, unbound particles of respirable size)

† CONCENTRATIONS EXPRESSED IN % UNLESS UNITS ARE SPECIFIED

## Section 16. Other Information

To the best of the manufacturer's knowledge, the information contained herein is accurate. However, neither the manufacturer, nor any of its affiliates, make any representations or warranties (expressed or implied), nor assumed any liability (including liability for any direct, incidental, consequential, or other damages) with respect to the accuracy or completeness of the information contained herein. Such information may be (without limitation) invalid if the specified material is used in combination with another, in a particular process, or under unusual conditions. Determination of suitability of any material for any given purpose is the sole responsibility of the user who assumes all risk and responsibility therefore. All materials may present unknown hazards and should be used with appropriate caution. The manufacturer cannot and does not guarantee that the hazards described herein are the only ones that e



**National Fire Protection Association (NFPA) Hazard Ratings**

Health	1
Flammability	2
Reactivity	0

**Hazardous Material Identification System (HMIS) Hazard Ratings**

Health	1
Flammability	2
Reactivity	0
Personal Protection	D

The following components of this product are listed on the Canadian WHMIS Ingredient Disclosure List (IDL):

Component Name	CASRN	Percent	Minimum Concentration
Carbon black	1333-86-4	1 – 10	1 %